

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

09494876
Michael J. Simitoski
Michael.Simitoski@uspto.gov
(703) 305-8191

Google

identify keystore (routine OR function OR method) ("security context")

identify keystore (routine OR function OR method)

ACM

"key store" keystore

IEEE

(keystore <or> "key store")

Other

Search tool

Search Terms

Applications/Patents from Inventor Search

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

» Search

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **1** of **1058483** documents.A maximum of **500** results are displayed, **50** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Secure in-band update of trusted certificates***Hayes, J.M.;*

Enabling Technologies: Infrastructure for Collaborative Enterprises, 1999. (W ICE '99) Proceedings. IEEE 8th International Workshops on , 16-18 June 1999. Pages:168 - 173

[\[Abstract\]](#) [\[PDF Full-Text \(40 KB\)\]](#) **IEEE CNF**


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Published since January 1947 and Published before February 2000
 Terms used **key store keystore**

Found 10 of 99,468

Sort results by

Display results

☐ Save results to a Binder

☐ Search Tips

☐ Open results in a new window

Try an Advanced Search

 Try this search in [The ACM Guide](#)

Results 1 - 10 of 10

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [External hashing with limited internal storage](#)

Gaston H. Gonnet, Per-Åke Larson

 January 1988 **Journal of the ACM (JACM)**, Volume 35 Issue 1

Full text available: pdf(1.60 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The following problem is studied: How, and to what extent, can the retrieval speed of external hashing be improved by storing a small amount of extra information in internal storage? Several algorithms that guarantee retrieval in one access are developed and analyzed. In the first part of the paper, a restricted class of algorithms is studied, and a lower bound on the amount of extra storage is derived. An algorithm that achieves this bound, up to a constant difference, is also given. In th ...

2 [Session 9: External hasing with limited internal storage](#)

Gaston H. Gonnet, Per Åke Larson

 March 1982 **Proceedings of the 1st ACM SIGACT-SIGMOD symposium on Principles of database systems**

Full text available: pdf(559.02 KB)

 Additional Information: [full citation](#), [references](#)

3 [Median split trees: a fast lookup technique for frequently occuring keys](#)

B. A. Sheil

 November 1978 **Communications of the ACM**, Volume 21 Issue 11

Full text available: pdf(1.26 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Split trees are a new technique for searching sets of keys with highly skewed frequency distributions. A split tree is a binary search tree each node of which contains two key values—a node value which is a maximally frequent key in that subtree, and a split value which partitions the remaining keys (with respect to their lexical ordering) between the left and right subtrees. A median split tree (MST) uses the lexical median of a node ...

Keywords: Zipf's Law, balanced trees, binary search, dictionary lookup, heaps, information retrieval, tree search

4 Smart Cards and Biometrics: The cool way to make secure transactions

David Corcoran, David Sims, Bob Hillhouse

March 1999 **Linux Journal**


Full text available:  [html\(22.95 KB\)](#) Additional Information: [full citation](#), [index terms](#)



5 Dictionary machines with a small number of processors

Allan L. Fisher

January 1984 **ACM SIGARCH Computer Architecture News , Proceedings of the 11th annual international symposium on Computer architecture**, Volume 12 Issue 3

Full text available:  [pdf\(711.55 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



A number of tree-structured multiprocessor designs have been proposed for performing a group of dictionary operations (INSERT, DELETE, EXTRACTMIN, NEAR, etc.) on a set of keys. These designs typically use one processor for each key stored and operate with constant throughput, assuming unit time to communicate and compare keys. This assumption breaks down in applications with long keys. This paper describes a machine which uses a number of processors proportional to the maximum length of a k ...

6 Some cryptographic principles of authentication in electronic funds transfer systems

C. H. Meyer, S. M. Matyas

October 1981 **Proceedings of the seventh symposium on Data communications**

Full text available:  [pdf\(1.22 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)




One essential requirement of an Electronic Funds Transfer (EFT) system is that institutions must be able to join together in a common EFT network such that a member of one institution can initiate transactions at entry points in the domain of another institution. The use of such a network is defined as interchange. Cryptographic implementations are developed for such a network in such a way as to keep personal verification and message authentication processes at diffe ...

7 A model for automating file and program design in business application systems

Steven Alter

June 1979 **Communications of the ACM**, Volume 22 Issue 6

Full text available:  [pdf\(855.77 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)



This paper discusses a model for finding an efficient implementation of a business application system whose logical specifications have been determined in advance. The model views file and program design as a problem of systematically coordinating the configurations of datasets and computations. It uses a straightforward search technique to determine aggregations of computations, aggregations of datasets, device, organization, and key order for each dataset, key order for each computation, ...

Keywords: automatic programming, configurations, design choices, search methods, system configurations, system design

8 Scapegoat trees

Igal Galperin, Ronald L. Rivest

January 1993 **Proceedings of the fourth annual ACM-SIAM Symposium on Discrete algorithms**

Full text available:  [pdf\(1.02 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



9 Routing on longest-matching prefixes

Willibald Doeringer, Günter Karjoth, Mehdi Nassehi

February 1996 **IEEE/ACM Transactions on Networking (TON)**, Volume 4 Issue 1Full text available:  pdf(1.43 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**10 Uncoupling updating and rebalancing in chromatic binary search trees**


Otto Nurmi, Eljas Soisalon-Soininen

April 1991 **Proceedings of the tenth ACM SIGACT-SIGMOD-SIGART symposium on Principles of database systems**Full text available:  pdf(724.54 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Web

Results 1 - 10 of about 850 for automatically identify keystore . (0.27 seconds)

ContentAssurity - Using ContentAssurity - Key Manager

... the default names of the keys in your **keystore**. ... names' that should help you **identify** the source ... not possible for the system to **automatically** recover information ...

www.artisoft.com/contentassurity/key_manager.htm - 9k - [Cached](#) - [Similar pages](#)

Import Certs Using Java Keytool

... Brings the contents of a file into the **keystore**, Requires the -file option to **identify** the file source, Trusted certificate entries, **Automatically** invokes the ...

www.pramati.com/docstore/1230006/help/ops/importcertificate_jdk.htm - 4k - [Cached](#) - [Similar pages](#)

ServiceControl Interface

... While this is set **automatically** by WebLogic Workshop, you can ... password The password for the **keystore**. ... This ID can then be used to **identify** individual method ...

e-docs.bea.com/workshop/docs81/doc/en/workshop/java-class/com/bea/control/ServiceControl.html - 27k - [Cached](#) - [Similar pages](#)

USPS PostalOne! - Certificate Authority Usage

... session will **automatically** expire, logging the user out. ... Add the signed certificate you receive from VeriSign to your **keystore** to **identify** your machine when ...

www.uspspostalone.com/public/cert_auth.cfm - 18k - [Cached](#) - [Similar pages](#)

docs.sun.com: System Administration Guide: Basic Administration

... use this procedure when you want to **automatically** download and ... assumes that you have set up the package **keystore**. ... **Identify** the HTTP URL for the patch you want ...

docs.sun.com/db/doc/817-3814/6mjcp0qo4?a=view - 42k - [Cached](#) - [Similar pages](#)

docs.sun.com: System Administration Guide: Basic Administration

... The SUNWcert package is **automatically** installed when you install the ... password: new-password

Re-enter new **keystore** password: new ... (Optional) **Identify** the hardware ...

docs.sun.com/db/doc/817-1658/6mhcgstvm?a=view - 27k - [Cached](#) - [Similar pages](#)

[[More results from docs.sun.com](#)]

Products & Services

... This allows Tomcat to **automatically** redirect users ... a Certificate that will **identify** your website as ... tomcat -keyalg RSA \ -**keystore** <your_keystore_filename> Note ...

www.verisign.com/support/csr/tomcat/v00.html - 37k - Aug 2, 2004 - [Cached](#) - [Similar pages](#)

UsingSSL - Apache James Wiki

... the ENTER key does this for you **automatically**). ... a Certificate that will **identify** your James ... james \ -file certreq.csr -**keystore** <your_keystore_filename> Now ...

wiki.apache.org/james/UsingSSL - 28k - Aug 2, 2004 - [Cached](#) - [Similar pages](#)

[PPT] LDAP Programming in Java for NDS, Part I

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... set the property that JSSE uses to **identify**. ... Searches **keystore** for an entry that matches the ... boolean doReferrals, /* true - follow referrals **automatically**. ...

developer.novell.com/events/brainshare/2002/dcb101/dcb101.ppt - [Similar pages](#)

Custom SSL for advanced JSSE developers

... java -Djavax.net.ssl.**keyStore**=clientKeys -Djavax.net.ssl ... @param ident Used to **identify**
output from ... While JSSE does start the handshake **automatically**, it only ...
www-106.ibm.com/developerworks/java/library/j-customssl/ - 65k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

L Number	Hits	Search Text	DB	Time stamp
2	40	@pd>20040517 and (key adj manag\$5) and ("CDSA" (security adj layer) "API")	USPAT; US-PGPUB	2004/08/04 15:16
3	148	@pd>20040517 and ((identify\$3 determin\$3) near2 keys)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:13
4	0	@pd>20040517 and (identify\$3 adj2 (hold\$3 contain\$3 stor\$3) adj2 key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:13
5	0	@pd>20040517 and (identify\$3 adj2 (hold\$3 contain\$3 stor\$3) adj2 key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:13
8	91	@pd>20040517 and (713/175,187,159,167,171,172.ccls. 380/286,282,45.ccls. 713/163.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:19
6	1	@pd>20040517 and (determin\$3 near (location adj3 key)) and encrypt\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:15
1	10	@pd>20040517 and (manag\$5 adj key) and ("CDSA" (security adj layer) "API")	USPAT; US-PGPUB	2004/08/04 15:15
9	0	@pd>20040517 and (713/175,187,159,167,171,172.ccls. 380/286,282,45.ccls. 713/163.ccls.) and keystore	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:17
10	8	@pd>20040517 and (713/175,187,159,167,171,172.ccls. 380/286,282,45.ccls. 713/163.ccls.) and (key adj (store ring collect\$3 group))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:17
11	164	@pd>20040517 and (keystore (key adj (ring store repository)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:21
13	76	((@pd>20040517 and (keystore (key adj (ring store repository)))) and (713.clas. 709.clas. 705.clas. 707.clas.))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:23
14	8	((@pd>20040517 and (keystore (key adj (ring store repository)))) and (713.clas. 709.clas. 705.clas. 707.clas.)) and @ad<20000131	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 15:23